ELSEVIER

Nuclear Instruments and Methods in Physics Research A 389 (1997) 525–536

NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH Section A

Author index

Abbondanno, U., see Gramegna, F. 389 (1997) 474
Abe, I., see Mejuev, I. 389 (1997) 38
Abramowicz, H., D. Horn, U. Naftaly and C. Sahar-Pikielny, Orientation selective neural network for cosmic muon identification 389 (1997) 163
Adesanya, Y., Data analysis/visualisation for the object-oriented LHC era 389 (1997) 32
Agapie, A., F. Fagarasan and B. Stanciulescu, A Genetic Algorithm for a fitting problem 389 (1997) 288
Aglietti, F., A. Bartoloni, C. Battista, S. Cabasino, N. Cabibbo, B. Caporali, E. Centurioni, M. Cosimi, W. Errico, F. Laico, G. Magazzú, F. Marzano, A. Michelotti, E. Panizzi, P.S. Paolucci, F. Rapuano, W. Rinaldi, D. Rossetti, M. Torelli, R. Tripiccione and P. Vicini, An overview of the APEmille parallel computer 389 (1997) 56
Andreano, A., see Gramegna, F. 389 (1997) 474
Antich, P.P., E.N. Tsyganov, N.A. Malakhov and Z.Y. Sadygov, Avalanche photo diode with local negative feedback sensitive to UV, blue and green light 389 (1997) 491
Apollonio, M., see Baldini, A. 389 (1997) 141
Appert, K., R. Gruber, S. Merazzi, T.M. Tran and S. Wüthrich, Problem-solving environment for parallel computers 389 (1997) 51
Argante, E., P.D.V. van der Stok and I. Willers, High-energy physics software parallelization using database techniques 389 (1997) 72
Astvatsaturov, A., J. Budagov, V. Shigaev, M. Bosman, M. Nessi and D. Pantea, Separation of gluon jets and b-jets with a low p_T muon using ATLAS Tile Calorimeter simulation data and artificial neural networks technique 389 (1997) 199
Athanasiu, G.G., Retinal neurocomputing principles for real time track identification 389 (1997) 258
Aubert, B., see RD3 Collaboration 389 (1997) 398
Auge, E., see RD3 Collaboration 389 (1997) 398
Augier, C., see UA4/2 Collaboration 389 (1997) 409
Avdeev, L.V., J. Fleischer, M.Yu. Kalmykov and M. Tentyukov, Towards automatic analytic evaluation of massive Feynman diagrams 389 (1997) 343
Azuelos, G., see RD3 Collaboration 389 (1997) 398

Back, B.B., see Nanal, V. 389 (1997) 430
Baikov, P.A., Explicit solutions of the multi-loop integral recurrence relations and its application 389 (1997) 347
Baillargeon, M. and P. Nogueira, Feynman diagram drawing made easy 389 (1997) 305
Baisin, L., see RD3 Collaboration 389 (1997) 398
Baker, N., J.-M. LeGoff and I. Willers, Panel session on component software 389 (1997) 22
Baldini, A., C. Bemporad, F. Cei, M. Grassi, D. Nicolò, R. Pazzi, G. Pieri, M. Apollonio, E. Caffau, P. Cristaudo and G. Giannini, The neural-network-based second-level trigger developed for the Chooz experiment . . . 389 (1997) 141
Balzhäuser, M., see Schelten, J. 389 (1997) 447
Bartoloni, A., see Aglietti, F. 389 (1997) 56
Bassini, R., see Gramegna, F. 389 (1997) 474
Basti, G., see Perrone, A.L. 389 (1997) 210
Battista, C., see Aglietti, F. 389 (1997) 56
Battistoni, G., see RD3 Collaboration 389 (1997) 398
Bauberger, S. and G. Weiglein, Calculation of two-loop top-quark and Higgs-boson corrections in the electroweak Standard Model 389 (1997) 318
Bazan, A., see RD3 Collaboration 389 (1997) 398
Baze, J.M., see RD3 Collaboration 389 (1997) 398
Beaudoin, G., see RD3 Collaboration 389 (1997) 398
Beaugiraud, B., see RD3 Collaboration 389 (1997) 398
Becanovic, V., see Lindblad, Th. 389 (1997) 245
Becks, K.H., see Busch, C. 389 (1997) 284
Bemporad, C., see Baldini, A. 389 (1997) 141

0168-9002/97/$17.00 Copyright © 1997 Elsevier Science B.V. All rights reserved

Berlich, R. and M. Kunze, A comparison between the performance of feed forward neural networks and the supervised growing neural gas algorithm . . . 389 (1997) 274
Bernard, D., see UA4/2 Collaboration . . . 389 (1997) 409
Berset, J.C., see RD3 Collaboration . . . 389 (1997) 398
Billè, F. and R. Pugliese, YASB: A development tool for intelligent multiplatform distributed control systems . . . 389 (1997) 110
Billè, F. and R. Pugliese, Using WWW technology in a control system . . . 389 (1997) 114
Block, F., M.D.A. Machado and J.M. Seixas, Elastic arms for track reconstruction with a scintillating fiber detector . . . 389 (1997) 173
Bonesini, M., S. Gumenyuk, M. Paganoni, L. Petrovykh and F. Terranova, Application of artificial neural nets to Shashlik calorimetry . . . 389 (1997) 148
Boniface, J., see RD3 Collaboration . . . 389 (1997) 398
Bonutti, F., see Gramegna, F. . . . 389 (1997) 474
Boos, E., see RD3 Collaboration . . . 389 (1997) 398
Bosman, M., see Astvatsaturov, A. . . . 389 (1997) 199
Bourotte, J., see UA4/2 Collaboration . . . 389 (1997) 409
Bozzo, M., see UA4/2 Collaboration . . . 389 (1997) 409
Brücher, L., XLOOPS – a package calculating one- and two-loop diagrams . . . 389 (1997) 327
Brun, R. and F. Rademakers, ROOT – An object oriented data analysis framework . . . 389 (1997) 81
Brune, C.R., H.J. Karwowski and E.J. Ludwig, Determination of low-energy proton polarization via the ^{6}Li($\vec{p}$, ^{3}He)^{4}He reaction . . . 389 (1997) 421
Bruno, M., see Gramegna, F. . . . 389 (1997) 474
Brusasco, C., A. Cattai, R. Cirio, G. Dellacasa, M. Donetti, P. Isoardi, F. Marchetto, C. Peroni, V. Rolando, M. Ruspa, A. Solano and C. Zambernardi, Strip ionization chambers as 3-D detector for hadron therapy . . . 389 (1997) 499
Budagov, J., see Astvatsaturov, A. . . . 389 (1997) 199
Bueno, A., see UA4/2 Collaboration . . . 389 (1997) 409
Bui, D.L., T.J. Greenshaw and G. Schmidt, A combination of an elastic net and a Hopfield net to solve the segment linking problem in the forward tracker of the H1 detector at HERA . . . 389 (1997) 184
Bui, D.L., see Schmidt, G. . . . 389 (1997) 157
Busch, C. and K.H. Becks, Applying unconventional methods to tune high energy physics models to data . . . 389 (1997) 284
Bussa, M.P., V.V. Ivanov, I.V. Kisel and G.B. Pontecorvo, Application of CA and NN for event recognition in experiments DISTO and STREAMER . . . 389 (1997) 208

Cabasino, S., see Aglietti, F. . . . 389 (1997) 56
Cabibbo, N., see Aglietti, F. . . . 389 (1997) 56
Caffau, E., F. Coren and G. Giannini, Erratum to "Underground cosmic-ray measurement for morphological reconstruction of the "Grotta Gigante" natural cave" [Nucl. Instr. and Meth. A 385 (1997) 480–488] . . . 389 (1997) 524
Caffau, E., see Baldini, A. . . . 389 (1997) 141
Calafiura, P., Parallelism at CERN: real-time and off-line applications in the GP-MIMD2 project . . . 389 (1997) 47
Calôba, L.P., see Seixas, J.M. . . . 389 (1997) 146
Camin, D.V., see RD3 Collaboration . . . 389 (1997) 398
Canton, B., see RD3 Collaboration . . . 389 (1997) 398
Capcarrere, M.S., see Sipper, M. . . . 389 (1997) 278
Caporali, B., see Aglietti, F. . . . 389 (1997) 56
Carr, R.W., see Korsch, W. . . . 389 (1997) 389
Cases, R., see UA4/2 Collaboration . . . 389 (1997) 409
Casini, G., see Gramegna, F. . . . 389 (1997) 474
Cattai, A., see Brusasco, C. . . . 389 (1997) 499
Cavalli, D., see RD3 Collaboration . . . 389 (1997) 398
Cavallo, F.R., see Grotti, F. . . . 389 (1997) 187
Cei, F., see Baldini, A. . . . 389 (1997) 141
Centurioni, E., see Aglietti, F. . . . 389 (1997) 56
Chang, Y.-H., see Lin, W.T. . . . 389 (1997) 415
Chase, R., see RD3 Collaboration . . . 389 (1997) 398
Chekhtman, A., see RD3 Collaboration . . . 389 (1997) 398
Chen, A.E., see Lin, W.T. . . . 389 (1997) 415
Chentouf, R., C. Jutten, M. Maignan and M. Kanevsky, Incremental neural networks for function approximation 389 (1997) 268
Chetyrkin, K.G., R. Harlander, J.H. Kühn and M. Steinhauser, Automatic computation of three-loop two-point functions in large momentum expansion . . . 389 (1997) 354
Chevalley, J.L., see RD3 Collaboration . . . 389 (1997) 398

Chilingarian, A., E. Sevinian and S. Chilingarian, The non-linear signal domain selection using a new quality function in neural net training 389 (1997) 242
Chilingarian, A., S. Ter-Antonyan and A. Vardanyan, The comparison of Bayesian and neural techniques in problems of classification to multiple categories 389 (1997) 230
Chilingarian, S., see Chilingarian, A. 389 (1997) 242
Chmeissani, M., see RD3 Collaboration 389 (1997) 398
Chollet, J.C., see RD3 Collaboration 389 (1997) 398
Cirio, R., see Brusasco, C. 389 (1997) 499
Colas, J., see RD3 Collaboration 389 (1997) 398
Collot, J., see RD3 Collaboration 389 (1997) 398
Cons, L., see Jones, R.W.L. 389 (1997) 103
Coren, F., see Caffau, E. 389 (1997) 524
Cosimi, M., see Aglietti, F. 389 (1997) 56
Costa, G., see RD3 Collaboration 389 (1997) 398
Cozzi, L., see RD3 Collaboration 389 (1997) 398
Cravero, A., see RD3 Collaboration 389 (1997) 398
Cristaudo, P., see Baldini, A. 389 (1997) 141
Czarnecki, A. and B. Krause, Computing techniques for two-loop corrections to anomalous magnetic moments of leptons 389 (1997) 314

D'Agostino, M., see Gramegna, F. 389 (1997) 474
Dargent, P., see RD3 Collaboration 389 (1997) 398
Dasgupta, I., A.R. Levi, V. Lubicz and C. Rebbi, QCDF90: Lattice QCD with Fortran 90 . . . . . 389 (1997) 121
David, J., see RD3 Collaboration 389 (1997) 398
de Bollivier, M., G. Dubois, M. Maignan and M. Kanevski, Multilayer perceptron with local constraint as an emerging method in spatial data analysis 389 (1997) 226
De La Taille, C., see RD3 Collaboration 389 (1997) 398
Dellacasa, G., see Brusasco, C. 389 (1997) 499
Denby, B., A bat's ear view of neural nets in physics 389 (1997) 8
Depommier, P., see RD3 Collaboration 389 (1997) 398
DeSchepper, D., see Korsch, W. 389 (1997) 389
de Saintignon, P., see RD3 Collaboration 389 (1997) 398
Diehl, M., M. Jünger, R. Frühwirth and J. Scherzer, Global optimization for track finding 389 (1997) 180
Dinkespiller, B., see RD3 Collaboration 389 (1997) 398
Dippel, R., see Legrand, I.C. 389 (1997) 106
Djama, F., see UA4/2 Collaboration 389 (1997) 409
Donetti, M., see Brusasco, C. 389 (1997) 499
Dubois, G., see de Bollivier, M. 389 (1997) 226
Dusini, S., F. Ferrari, I. Lazzizzera, G. Nardulli, A. Sartori and G. Tecchiolli, Performance of the TOTEM neurochip in Higgs search 389 (1997) 201
Dvoredsky, A., see Korsch, W. 389 (1997) 389
Dzahini, D., see RD3 Collaboration 389 (1997) 398

Eek, L.O., see RD3 Collaboration 389 (1997) 398
Eide, Å., R. Johansson, Th. Lindblad and C.S. Lindsey, Data mining and neural networks for knowledge discovery 389 (1997) 251
Engels, R., see Schelten, J. 389 (1997) 447
Errico, W., see Aglietti, F. 389 (1997) 56
Etienne, F., see RD3 Collaboration 389 (1997) 398

Fagarasan, F., see Agapie, A. 389 (1997) 288
Famiano, M.A. and D.M. Hamby, Demonstration of a time-integrating microdosimeter 389 (1997) 479
Fassnacht, P., see RD3 Collaboration 389 (1997) 398
Faugeras, P., see UA4/2 Collaboration 389 (1997) 409
Faugier, A., see UA4/2 Collaboration 389 (1997) 409
Fayard, L., see RD3 Collaboration 389 (1997) 398
Fedyakin, N., see RD3 Collaboration 389 (1997) 398
Fent, J., see Köhne, J.H. 389 (1997) 128
Fernandez, E., see RD3 Collaboration 389 (1997) 398
Ferrari, A., see RD3 Collaboration 389 (1997) 398
Ferrari, F., see Dusini, S. 389 (1997) 201

Fleischer, J., see Avdeev, L.V. 389 (1997) 343
Fliegner, D., P. Haberl, M.G. Schmidt and C. Schubert, Application of the worldline path integral method to the calculation of inverse mass expansions 389 (1997) 374
Fortner, M.R., T. Lagger and R. Markeloff, A massively parallel processor for level 2 muon triggers at D0 . . 389 (1997) 59
Fouchez, D., see RD3 Collaboration 389 (1997) 398
Fournier, D., see RD3 Collaboration 389 (1997) 398
Frank, R., Mixed language parallel programming using ALWAN 389 (1997) 63
Franzkowski, J., Automatic calculation of massive two-loop self-energies with XLOOPS 389 (1997) 333
Freiesleben, H., see Lange, J.S. 389 (1997) 74
Freiesleben, H., see Lange, J.S. 389 (1997) 214
Frink, A., Massive two-loop vertex functions 389 (1997) 339
Fröchtenicht, W., see Köhne, J.H. 389 (1997) 128
Frühwirth, R., see Diehl, M. 389 (1997) 180
Fujimoto, J., T. Ishikawa, Y. Shimizu, K. Kato, N. Nakazawa and T. Kaneko, Automation of loop amplitudes in numerical approach 389 (1997) 301

Gaede, F., see Köhne, J.H. 389 (1997) 128
Garrido, Ll., see RD3 Collaboration 389 (1997) 398
Gellrich, A., see Legrand, I.C. 389 (1997) 106
Genat, J.F., see RD3 Collaboration 389 (1997) 398
Gerdt, V.P. and V.V. Kornyak, A program for constructing finitely presented Lie algebras and superalgebras . . 389 (1997) 370
Giannini, G., see Baldini, A. 389 (1997) 141
Giannini, G., see Caffau, E. 389 (1997) 524
Gianotti, F., see RD3 Collaboration 389 (1997) 398
Gildemeister, O., see RD3 Collaboration 389 (1997) 398
Gingrich, D.M., see RD3 Collaboration 389 (1997) 398
Goldner, D., see Köhne, J.H. 389 (1997) 128
González, F., see UA4/2 Collaboration 389 (1997) 409
Gordon, H.A., see RD3 Collaboration 389 (1997) 398
Gosset, L., see RD3 Collaboration 389 (1997) 398
Gracey, J.A., Progress with large N_f β-functions 389 (1997) 361
Gramegna, F., U. Abbondanno, A. Andreano, R. Bassini, F. Bonutti, M. Bruno, G. Casini, M. D'Agostino, G. Manzin, G.V. Margagliotti, P.F. Mastinu, P.M. Milazzo, A. Moroni, M. Squarcini, F. Tonetto, G. Vannini and L. Vannucci, A telescope with microstrip gas chambers for the detection of charged products in heavy-ion reactions 389 (1997) 474
Grant, I.P., see Scott, T.C. 389 (1997) 117
Grassi, M., see Baldini, A. 389 (1997) 141
Greeniaus, G., see RD3 Collaboration 389 (1997) 398
Greenshaw, T.J., see Bui, D.L. 389 (1997) 184
Grigoriev, S.V., V.V. Runov, A.I. Okorokov, A.D. Tretyakov, O.A. Gubin, G.P. Kopitsa and M.K. Runova, Spatial spin resonance of polarized neutrons in amplitude-modulated magnetic fields 389 (1997) 441
Grotti, F., F.R. Cavallo and F.L. Navarria, Use of neural networks in the analysis of $\tau \to K_s^0 \nu_\tau X$ inclusive decays at LEP 389 (1997) 187
Gruber, R., see Appert, K. 389 (1997) 51
Gruber, A., see Köhne, J.H. 389 (1997) 128
Gubin, O.A., see Grigoriev, S.V. 389 (1997) 441
Gumenyuk, S., see Bonesini, M. 389 (1997) 148
Gusynin, V.P. and V.V. Kornyak, Computation of the DeWitt–Seeley–Gilkey coefficient E_4 for nonminimal operator in curved space 389 (1997) 365

Haberer, W., see Köhne, J.H. 389 (1997) 128
Haberl, P., see Fliegner, D. 389 (1997) 374
Haguenauer, M., see UA4/2 Collaboration 389 (1997) 409
Hajima, R., T. Hirotsu and S. Kondo, Reconstruction of electron beam distribution in phase space by using parallel maximum entropy method 389 (1997) 65
Hamby, D.M., see Famiano, M.A. 389 (1997) 479
Harlander, R., see Chetyrkin, K.G. 389 (1997) 354
Heck, A., Bird's-eye view of Gröbner bases 389 (1997) 16
HEGRA Collaboration, see Ommer, S. 389 (1997) 204
Henrard, P., see Ph. Rosnet 389 (1997) 197
Hermanowski, P., see Lange, J.S. 389 (1997) 214

Herr, W., see UA4/2 Collaboration 389 (1997) 409
Hervas, L., see RD3 Collaboration 389 (1997) 398
Hirotsu, T., see Hajima, R. 389 (1997) 65
Hofman, D.J., see Nanal, V. 389 (1997) 430
Höppner, M. and D. Wegener, Applications of neural networks to shower analysis in a highly segmented LAr calorimeter 389 (1997) 154
Horn, D., Neural computation methods and applications: Summary talk of the AI session 389 (1997) 381
Horn, D., see Abramowicz, H. 389 (1997) 163
Hostachy, J.Y., see RD3 Collaboration 389 (1997) 398
Hou, S.R., see Lin, W.T. 389 (1997) 415
Hrisoho, A., see RD3 Collaboration 389 (1997) 398

Ikeda, H., M. Ikeda, Y. Saitoh, J. Yamanaka, T. Kitta, S.-I. Miyahara and M. Kamiya, Study of common-mode noise of the SMA ^{2}SH – 64 A preamplifer array 389 (1997) 454
Ikeda, M., see Ikeda, H. 389 (1997) 454
Imamura, M., see Uwamino, Y. 389 (1997) 463
Imbault, D., see RD3 Collaboration 389 (1997) 398
Innocente, V., see Marino, M. 389 (1997) 26
Ishikawa, T., see Yuasa, F. 389 (1997) 77
Ishikawa, T., see Fujimoto, J. 389 (1997) 301
Isoardi, P., see Brusasco, C. 389 (1997) 499
Ivanov, V.V., see Bussa, M.P. 389 (1997) 208

Jacobsen, B., Applying object-oriented software engineering at the BaBar collaboration 389 (1997) 1
James, R.B., see Schieber, M. 389 (1997) 523
Jarp, S., Summary talk on Software Engineering 389 (1997) 378
Jeanneret, J.B., see UA4/2 Collaboration 389 (1997) 409
Jezequel, S., see RD3 Collaboration 389 (1997) 398
Jimbo, M., see Tanaka, H. 389 (1997) 295
Johansson, R., see Eide, Å. 389 (1997) 251
Jones, R.W.L., L. Cons and A. Taddei, Provision of an X-environment using the HEPiX-X11 scripts 389 (1997) 103
Jünger, M., see Diehl, M. 389 (1997) 180
Jutten, C., see Chentouf, R. 389 (1997) 268

Kakuta, T., see Yamanaka, N. 389 (1997) 513
Kalmykov, M.Yu., see Avdeev, L.V. 389 (1997) 343
Kalt, L., see UA4/2 Collaboration 389 (1997) 409
Kamiya, M., see Ikeda, H. 389 (1997) 454
Kaneko, T., see Tanaka, H. 389 (1997) 295
Kaneko, T., see Fujimoto, J. 389 (1997) 301
Kanevsky, M., see de Bollivier, M. 389 (1997) 226
Kanevsky, M., see Chentouf, R. 389 (1997) 268
Karwowski, H.J., see Brune, C.R. 389 (1997) 421
Kastrup, B., see Seixas, J.M. 389 (1997) 146
Katagiri, M., see Yamanaka, N. 389 (1997) 513
Kato, K., see Fujimoto, J. 389 (1997) 301
Kawabata, S., see Yuasa, F. 389 (1997) 77
Khanov, A., see Stepanov, N. 389 (1997) 177
Kiesling, C., see Köhne, J.H. 389 (1997) 128
Kisel, I., E. Konotopskaya and V. Kovalenko, Elastic neutral net for track and vertex search 389 (1997) 167
Kisel, I.V., see Bussa, M.P. 389 (1997) 208
Kitching, P., see RD3 Collaboration 389 (1997) 398
Kitta, T., see Ikeda, H. 389 (1997) 454
Klein, W. and Y.A. Papegay, Automatic generation of a MOS transistor simulation model with Maple V . . . 389 (1997) 125
Kliman, J., see Morháč, M. 389 (1997) 89
Kobler, T., see Köhne, J.H. 389 (1997) 128
Koehler, A., see Legrand, I.C. 389 (1997) 106
Köhne, J.H., J. Fent, W. Fröchtenicht, F. Gaede, A. Gruber, W. Haberer, C. Kiesling, T. Kobler, J. Möck, A. Wegner, D. Goldner, T. Krämerkämper, M. Kolander and H. Kolanoski, Realization of a second level neural network trigger for the H1 experiment at HERA 389 (1997) 128
Kolander, M., see Köhne, J.H. 389 (1997) 128

Kolanoski, H., see Köhne, J.H. 389 (1997) 128
Kon, T., see Tanaka, H. 389 (1997) 295
Kondo, S., see Hajima, R. 389 (1997) 65
Konotopskaya, E., see Kisel, I. 389 (1997) 167
Kopitsa, G.P., see Grigoriev, S.V. 389 (1997) 441
Kornyak, V.V., see Gusynin, V.P. 389 (1997) 365
Kornyak, V.V., see Gerdt, V.P. 389 (1997) 370
Korsch, W., R.W. Carr, D. DeSchepper, A. Dvoredsky, L.H. Kramer, Y. Li, R.D. McKeown, R.G. Milner, S.F. Pate, M.L. Pitt and T. Shin, Temperature dependence of ^{3}He polarization in aluminum storage cells 389 (1997) 389
Kovalenko, D.N. and A.E. Pukhov, Multi-particle phase space integration with arbitrary set of singularities in CompHEP 389 (1997) 299
Kovalenko, V. and NEMO Collaboration, Cellular automaton and elastic net for event reconstruction in the NEMO-2 experiment 389 (1997) 169
Kovalenko, V., see Kisel, I. 389 (1997) 167
Krämerkämper, T., see Köhne, J.H. 389 (1997) 128
Kramer, L.H., see Korsch, W. 389 (1997) 389
Krause, B., see Czarnecki, A. 389 (1997) 314
Kreimer, D., The methods of XLOOPS: An introduction to parallel space techniques 389 (1997) 323
Kühn, J.H., see Chetyrkin, K.G. 389 (1997) 354
Kulinich, P., see Lin, W.T. 389 (1997) 415
Kundrát, V., see UA4/2 Collaboration 389 (1997) 409
Kunze, M. and J. Steffens, The neural network objects 389 (1997) 12
Kunze, M., see Berlich, R. 389 (1997) 274
Kuroda, M., see Tanaka, H. 389 (1997) 295

Labarga, L., see RD3 Collaboration 389 (1997) 398
Laborie, G., see RD3 Collaboration 389 (1997) 398
Lagger, T., see Fortner, M.R. 389 (1997) 59
Laico, F., see Aglietti, F. 389 (1997) 56
Lange, J.S., P. Hermanowski and H. Freiesleben, A parameter-free self-organizing map for the analysis of pp-reactions at COSY 389 (1997) 214
Lange, J.S., P. Schönmeier and H. Freiesleben, Parallelization of analyses using self-organizing maps with PVM 389 (1997) 74
Lauter, J., see Schelten, J. 389 (1997) 447
Lavocat, P., see RD3 Collaboration 389 (1997) 398
Lazzizzera, I., see Lee, P. 389 (1997) 134
Lazzizzera, I., see Dusini, S. 389 (1997) 201
Lebedko, O.A., see Topchy, A.P. 389 (1997) 240
Le Dortz, O., see RD3 Collaboration 389 (1997) 398
Lee, P., I. Lazzizzera, A. Zorat, A. Sartori and G. Tecchiolli, Advances in the design of the TOTEM neurochip 389 (1997) 134
Lefebvre, M., see RD3 Collaboration 389 (1997) 398
Leflour, T., see RD3 Collaboration 389 (1997) 398
LeGoff, J.-M., see Baker, N. 389 (1997) 22
Legrand, I.C., U. Schwendicke, H. Leich, M. Medinnis, A. Koehler, P. Wegner, K. Sulanke, R. Dippel and A. Gellrich, A programming environment to control switching networkds based on STC104 packet routing chip 389 (1997) 106
Leich, H., see Legrand, I.C. 389 (1997) 106
León-Florián, E., see RD3 Collaboration 389 (1997) 398
Leroy, C., see RD3 Collaboration 389 (1997) 398
Levi, A.R., see I. Dasgupta 389 (1997) 121
Li, Y., see Korsch, W. 389 (1997) 389
Lin, W.T., Y.-H. Chang, A.E. Chen, S.R. Hou, C.-H. Lin, P. Kulinich, J. Ryan, P. Steinberg, B. Wadsworth and B. Wyslouch, Development of a double metal, AC-coupled silicon pad detector 389 (1997) 415
Lin, C.-H., see Lin, W.T. 389 (1997) 415
Lindblad, Th., V. Becanovic, C.S. Lindsey and G. Szekely, Intelligent detectors modelled from the cat's eye . . 389 (1997) 245
Lindblad, Th., see Lindsey, C.S 389 (1997) 237
Lindblad, Th., see Eide, Å. 389 (1997) 251
Lindsey, C.S. and Th. Lindblad, Unsupervised learning with ART on the CNAPS 389 (1997) 237
Lindsey, C.S., see Lindblad, Th. 389 (1997) 245
Lindsey, C.S., see Eide, Å. 389 (1997) 251

Linhares, R., see Seixas, J.M. 389 (1997) 146
Linnecar, T., see UA4/2 Collaboration 389 (1997) 409
Litvinenko, E.I., Interactive data analysis for neutron spectrometers data based on Visual Numerics' PV-WAVE software package 389 (1997) 93
Lokajiček, M., see UA4/2 Collaboration 389 (1997) 409
Lopez, J.M., F. Matorras and A. Ruiz, Analysis of τ 1-prong exclusive branching ratios using neural networks 389 (1997) 194
Lottin, J.P., see RD3 Collaboration 389 (1997) 398
Lubicz, V., see I. Dasgupta 389 (1997) 121
Ludwig, E.J., see Brune, C.R. 389 (1997) 421
Lund, J.C., see Schieber, M. 389 (1997) 523
Lund-Jensen, B., see RD3 Collaboration 389 (1997) 398

Machado, M.D.A., see Block, F. 389 (1997) 173
Magazzú, G., see Aglietti, F. 389 (1997) 56
Mahout, G., see RD3 Collaboration 389 (1997) 398
Maignan, M., see de Bollivier, M. 389 (1997) 226
Maignan, M., see Chentouf, R. 389 (1997) 268
Maire, M., see RD3 Collaboration 389 (1997) 398
Malakhov, N.A., see Antich, P.P. 389 (1997) 491
Maleyran, R., see UA4/2 Collaboration 389 (1997) 409
Mandelli, L., see RD3 Collaboration 389 (1997) 398
Manigot, P., see UA4/2 Collaboration 389 (1997) 409
Mansoulié, B., see RD3 Collaboration 389 (1997) 398
Manzin, G., see Gramegna, F. 389 (1997) 474
Marchetto, F., see Brusasco, C. 389 (1997) 499
Marchi, C.A. and F. Massaioli, The integration of SIMD and MIMD: A new line of development for MPP systems 389 (1997) 42
Margagliotti, G.V., see Gramegna, F. 389 (1997) 474
Marin, C.P., see RD3 Collaboration 389 (1997) 398
Marino, M. and V. Innocente, From SA/SD to OO methods or "The new design problem" 389 (1997) 26
Markeloff, R., see Fortner, M.R. 389 (1997) 59
Martin, L., see RD3 Collaboration 389 (1997) 398
Martin, O., see RD3 Collaboration 389 (1997) 398
Martinez, M., see RD3 Collaboration 389 (1997) 398
Marzano, F., see Aglietti, F. 389 (1997) 56
Massaioli, F., see Marchi, C.A. 389 (1997) 42
Mastinu, P.F., see Gramegna, F. 389 (1997) 474
Masulli, F., see Studer, L. 389 (1997) 264
Matorras, F., see López, J.M. 389 (1997) 194
Matoušek, V., see Morháč, M. 389 (1997) 89
Matthiae, G., see UA4/2 Collaboration 389 (1997) 409
Mazzanti, M., see RD3 Collaboration 389 (1997) 398
McGregor, D.S., see Schieber, M. 389 (1997) 523
McKeown, R.D., see Korsch, W. 389 (1997) 389
McNally, D., The L3 event visualisation tools 389 (1997) 95
Medinnis, M., see Legrand, I.C. 389 (1997) 106
Mejuev, I., I. Abe and K. Nakahara, Application of Smalltalk language for accelerator control 389 (1997) 38
Merazzi, S., see Appert, K. 389 (1997) 51
Merchez, E., see RD3 Collaboration 389 (1997) 398
Merkel, B., see RD3 Collaboration 389 (1997) 398
Messi, R., see Perrone, A.L. 389 (1997) 210
Meyer, H., see Ommer, S. 389 (1997) 204
Meyer, J.P., see RD3 Collaboration 389 (1997) 398
Michelotti, A., see Aglietti, F. 389 (1997) 56
Milazzo, P.M., see Gramegna, F. 389 (1997) 474
Milner, R.G., see Korsch, W. 389 (1997) 389
Miotto, A., see RD3 Collaboration 389 (1997) 398
Miyahara, S.-I., see Ikeda, H. 389 (1997) 454
Möck, J., see Köhne, J.H. 389 (1997) 128
Monagan, M.B., see Scott, T.C. 389 (1997) 117

Monnier, E., see RD3 Collaboration 389 (1997) 398
Morelli, A., see UA4/2 Collaboration 389 (1997) 409
Morháč, M., J. Kliman, V. Matoušek and I. Turzo, Integrated multiparameter nuclear data analysis package . . 389 (1997) 89
Moroni, A., see Gramegna, F. 389 (1997) 474
Müller, K.D., see Schelten, J. 389 (1997) 447

Naftaly, U., see Abramowicz, H. 389 (1997) 163
Nagy, E., see RD3 Collaboration 389 (1997) 398
Nakahara, K., see Mejuev, I. 389 (1997) 38
Nakamura, T., see Uwamino, Y. 389 (1997) 463
Nakazawa, N., see Fujimoto, J. 389 (1997) 301
Nakazawa, M., see Yamanaka, N. 389 (1997) 513
Nanal, V., B.B. Back and D.J. Hofman, Temperature dependence of BaF_2 scintillation 389 (1997) 430
Nardulli, G., see Dusini, S. 389 (1997) 201
Naroska, B., see Schmidt, G. 389 (1997) 157
Natali, F., see UA4/2 Collaboration 389 (1997) 409
Navarria, F.L., see Grotti, F. 389 (1997) 187
Němeček, S., see UA4/2 Collaboration 389 (1997) 409
NEMO Collaboration, see Kovalenko, V. 389 (1997) 169
Nessi, M., see Astvatsaturov, A. 389 (1997) 199
Nessi, M., see RD3 Collaboration 389 (1997) 398
Nicolò, D., see Baldini, A. 389 (1997) 141
Nogueira, P., see Baillargeon, M. 389 (1997) 305
Noppe, J.M., see RD3 Collaboration 389 (1997) 398
Novák, M., see UA4/2 Collaboration 389 (1997) 409

Okorokov, A.I., see Grigoriev, S.V. 389 (1997) 441
Olivetto, C., see RD3 Collaboration 389 (1997) 398
Olsen, B., see RD3 Collaboration 389 (1997) 398
Olsen, R.W., see Schieber, M. 389 (1997) 523
Ommer, S., S. Westerhoff, H. Meyer and HEGRA Collaboration Search for TeV γ-rays from extragalactic point sources with neural network γ/hadron separation 389 (1997) 204

Padilla, C., see RD3 Collaboration 389 (1997) 398
Paganoni, M., see Bonesini, M. 389 (1997) 148
Panizzi, E., see Aglietti, F. 389 (1997) 56
Pantea, D., see Astvatsaturov, A. 389 (1997) 199
Paolucci, P.S., see Aglietti, F. 389 (1997) 56
Paoluzi, L., see Perrone, A.L. 389 (1997) 210
Papegay, Y.A., see Klein, W. 389 (1997) 125
Parrour, G., see RD3 Collaboration 389 (1997) 398
Pasqualucci, E., see Perrone, A.L. 389 (1997) 210
Pate, S.F., see Korsch, W. 389 (1997) 389
Pazzi, R., see Baldini, A. 389 (1997) 141
Perini, L., see RD3 Collaboration 389 (1997) 398
Peroni, C., see Brusasco, C. 389 (1997) 499
Perret-Gallix, D., see Yuasa, F. 389 (1997) 77
Perrone, A.L., Applications of chaos theory to lossy image compression 389 (1997) 221
Perrone, A.L., G. Basti, R. Messi, E. Pasqualucci and L. Paoluzi, Offline analysis of HEP events by "dynamic perceptron" neural network 389 (1997) 210
Pétroff, P., see RD3 Collaboration 389 (1997) 398
Petrovykh, L., see Bonesini, M. 389 (1997) 148
Pieri, G., see Baldini, A. 389 (1997) 141
Pinfold, J.L., see RD3 Collaboration 389 (1997) 398
Pitt, M.L., see Korsch, W. 389 (1997) 389
Poggioli, L., see RD3 Collaboration 389 (1997) 398
Pontecorvo, G.B., see Bussa, M.P. 389 (1997) 208
Pouxe, J., see RD3 Collaboration 389 (1997) 398
Pugliese, R., see Billè, F. 389 (1997) 110
Pugliese, R., see Billè, F. 389 (1997) 114
Pukhov, A.E., see Kovalenko, D.N. 389 (1997) 299

Radeka, V., see RD3 Collaboration 389 (1997) 398
Rademakers, F., see Brun, R. 389 (1997) 81
Rahm, D., see RD3 Collaboration 389 (1997) 398
Rapuano, F., see Aglietti, F. 389 (1997) 56
RD3 Collaboration, D.M. Gingrich, G. Greeniaus, P. Kitching, B. Olsen, J.L. Pinfold, N.L. Rodning, E. Boos, B.O. Zhautykov, B. Aubert, A. Bazan, B. Beaugiraud, J. Boniface, J. Colas, S. Jezequel, T. Leflour, M. Maire, F. Rival, M. Stipčević, J. Thion, D. Van Den Plas, I. Wingerter-Seez, R. Zitoun, Y.P. Zolnierowski, M. Chmeissani, E. Fernandez, Ll. Garrido, M. Martinez, C. Padilla, H.A. Gordon, V. Radeka, D. Rahm, D. Stephani, L. Baisin, J.C. Berset, J.L. Chevalley, F. Gianotti, O. Gildemeister, C.P. Marin, M. Nessi, L. Poggioli, W. Richter, V. Vuillemin, J.M. Baze, L. Gosset, P. Lavocat, J.P. Lottin, B. Mansoulié, J.P. Meyer, J.F. Renardy, J. Schwindling, J. Teiger, J. Collot, P. de Saintignon, D. Dzahini, J.Y. Hostachy, G. Laborie, G. Mahout, E. Merchez, J. Pouxe, L. Hervas, L. Labarga, C.V. Scheel, A. Chekhtman, P. Dargent, B. Dinkespiller, F. Etienne, P. Fassnacht, D. Fouchez, L. Martin, O. Martin, A. Miotto, E. Monnier, E. Nagy, C. Olivetto, S. Tisserant, G. Battistoni, D.V. Camin, D. Cavalli, G. Costa, L. Cozzi, A. Cravero, N. Fedyakin, A. Ferrari, L. Mandelli, M. Mazzanti, L. Perini, P. Sala, G. Azuelos, G. Beaudoin, P. Depommier, E. León-Florián, C. Leroy, P. Roy, M. Seman, E. Auge, R. Chase, J.C. Chollet, C. de La Taille, L. Fayard, D. Fournier, A. Hrisoho, B. Merkel, J.M. Noppe, G. Parrour, P. Pétroff, A. Schaffer, N. Seguin-Moreau, L. Serin, V. Tisserand, I. Vichou, B. Canton, J. David, J.F. Genat, D. Imbault, O. Le Dortz, A. Savoy-Navarro, P. Schwemling, L.O. Eek, B. Lund-Jensen, J. Söderqvist, M. Lefebvre, S. Robertson and J. White, Performance of an endcap prototype of the ATLAS accordion electromagnetic calorimeter 389 (1997) 398
Rebbi, C., see I. Dasgupta 389 (1997) 121
Rédei, L. and H. Wallinga, A novel modification to backpropagation sample selection strategy 389 (1997) 233
Reinartz, R., see Schelten, J. 389 (1997) 447
Renardy, J.F., see RD3 Collaboration 389 (1997) 398
Richter, W., see RD3 Collaboration 389 (1997) 398
Rinaldi, W., see Aglietti, F. 389 (1997) 56
Rival, F., see RD3 Collaboration 389 (1997) 398
Robertson, S., see RD3 Collaboration 389 (1997) 398
Rodning, N.L., see RD3 Collaboration 389 (1997) 398
Roland, G., Physics analysis in the NA49 experiment using ROOT 389 (1997) 87
Rolando, V., see Brusasco, C. 389 (1997) 499
Rosnet, Ph. and P. Henrard, Use of neural network to search for rare B decays in ALEPH at LEP 389 (1997) 197
Rossetti, D., see Aglietti, F. 389 (1997) 56
Roy, P., see RD3 Collaboration 389 (1997) 398
Ruiz, A., see López, J.M. 389 (1997) 194
Runov, V.V., see Grigoriev, S.V. 389 (1997) 441
Runova, M.K., see Grigoriev, S.V. 389 (1997) 441
Ruspa, M., see Brusasco, C. 389 (1997) 499
Ryan, J., see Lin, W.T. 389 (1997) 415
Rylko, R., On error optimization for event selection with neural networks 389 (1997) 219

Sadygov, Z.Y., see Antich, P.P. 389 (1997) 491
Sahar-Pikielny, C., see Abramowicz, H. 389 (1997) 163
Saitoh, Y., see Ikeda, H. 389 (1997) 454
Sakasai, K., see Yamanaka, N. 389 (1997) 513
Sala, P., see RD3 Collaboration 389 (1997) 398
Sánchez, J., see UA4/2 Collaboration 389 (1997) 409
Sanchis, E., see UA4/2 Collaboration 389 (1997) 409
Sartori, A., see Lee, P. 389 (1997) 134
Sartori, A., see Dusini, S. 389 (1997) 201
Saunders, V.R., see Scott, T.C. 389 (1997) 117
Savoy-Navarro, A., see RD3 Collaboration 389 (1997) 398
Schäfer, W., see Schelten, J. 389 (1997) 447
Schaffer, A., see RD3 Collaboration 389 (1997) 398
Scheel, C.V., see RD3 Collaboration 389 (1997) 398
Schelten, J., R. Reinartz, R. Engels, M. Balzhäuser, J. Lauter, W. Schäfer and K.D. Müller, Position-sensitive neutron detection with ^{6}LiF layers on silicon semiconductors 389 (1997) 447
Scherzer, J., see Diehl, M. 389 (1997) 180
Schieber, M., J.C. Lund, R.W. Olsen, D.S. McGregor,J.M. Van Scyoc, R.B. James and E. Soria, Erratum to "Material properties and room temperature nuclear detector response of wide band gap semiconductors" [Nucl. Instr. and Meth. A 377 (1996) 492–495] 389 (1997) 523

Schiek, S., see Schmidt, G. . . . 389 (1997) 157
Schmidt, G., B. Naroska, S. Schiek, D.L. Bui and R. Sell, Identification of muons in the H1 LAr-Calorimeter: Neural networks vs. fuzzy elements . . . 389 (1997) 157
Schmidt, M.G., see Fliegner, D. . . . 389 (1997) 374
Schmidt, G., see Bui, D.L. . . . 389 (1997) 184
Schönmeier, P., see Lange, J.S. . . . 389 (1997) 74
Schubert, C., see Fliegner, D. . . . 389 (1997) 374
Schwemling, P., see RD3 Collaboration . . . 389 (1997) 398
Schwendicke, U., see Legrand, I.C. . . . 389 (1997) 106
Schwindling, J., see RD3 Collaboration . . . 389 (1997) 398
Scott, T.C., M.B. Monagan, I.P. Grant and V.R. Saunders, Numerical computation of molecular integrals via optimized (vectorized) FORTRAN code . . . 389 (1997) 117
Seguin-Moreau, N., see RD3 Collaboration . . . 389 (1997) 398
Seixas, J.M., L.P. Calôba, R. Linhares and B. Kastrup, Neural feature extraction for calorimeters based on optimum weighting procedures . . . 389 (1997) 146
Seixas, J.M., see Block, F. . . . 389 (1997) 173
Sell, R., see Schmidt, G. . . . 389 (1997) 157
Seman, M., see RD3 Collaboration . . . 389 (1997) 398
Semenov, A.V., Automatic generation of Feynman rules from the Lagrangian by means of LanHEP package . . . 389 (1997) 293
Serin, L., see RD3 Collaboration . . . 389 (1997) 398
Sette, G., see UA4/2 Collaboration . . . 389 (1997) 409
Severyanov, V.M., An application of neural networks to fractal function interpolation . . . 389 (1997) 255
Sevinian, E., see Chilingarian, A. . . . 389 (1997) 242
Shibata, S.-i., see Uwamino, Y. . . . 389 (1997) 463
Shibata, T., see Uwamino, Y. . . . 389 (1997) 463
Shigaev, V., see Astvatsaturov, A. . . . 389 (1997) 199
Shimizu, Y., see Fujimoto, J. . . . 389 (1997) 301
Shin, T., see Korsch, W. . . . 389 (1997) 389
Sinkus, R. and T. Voss, Particle identification with neural networks using a rotational invariant moment representation . . . 389 (1997) 160
Sipper, M., M. Tomassini and M.S. Capcarrere, Designing cellular automata using a parallel evolutionary algorithm . . . 389 (1997) 278
Smižanská, M., see UA4/2 Collaboration . . . 389 (1997) 409
Söderqvist, J., see RD3 Collaboration . . . 389 (1997) 398
Soewarsono, T.S., see Uwamino, Y. . . . 389 (1997) 463
Solano, A., see Brusasco, C. . . . 389 (1997) 499
Soria, E., see Schieber, M. . . . 389 (1997) 523
Spira, M., HIGLU and HDECAY: Programs for Higgs boson production at the LHC and Higgs boson decay widths . . . 389 (1997) 357
Squarcini, M., see Gramegna, F. . . . 389 (1997) 474
Stanciulescu, B., see Agapie, A. . . . 389 (1997) 288
Steffens, J., see Kunze, M. . . . 389 (1997) 12
Steinberg, P., see Lin, W.T. . . . 389 (1997) 415
Steinhauser, M., see Chetyrkin, K.G. . . . 389 (1997) 354
Stepanov, N. and A. Khanov, Vertex finding with deformable templates at LHC . . . 389 (1997) 177
Stephani, D., see RD3 Collaboration . . . 389 (1997) 398
Stern, C., P. Stucki and E. Stoll, A toolkit for interactive molecular dynamics simulation and visualization . . . 389 (1997) 69
Stipčević, M., see RD3 Collaboration . . . 389 (1997) 398
Stoll, E., see Stern, C. . . . 389 (1997) 69
Stone, H., Computer graphics in high-energy physics event visualization . . . 389 (1997) 101
Stucki, P., see Stern, C. . . . 389 (1997) 69
Studer, L. and F. Masulli, Building a neuro-fuzzy system to efficiently forecast chaotic time series . . . 389 (1997) 264
Sugita, H., see Uwamino, Y. . . . 389 (1997) 463
Sulanke, K., see Legrand, I.C. . . . 389 (1997) 106
Swain, J., The statistical basis of neural network algorithms: Theory and applications . . . 389 (1997) 271
Szekely, G., see Lindblad, Th. . . . 389 (1997) 245

Taddei, A., see Jones, R.W.L. . . . 389 (1997) 103
Tanaka, H., M. Kuroda, T. Kaneko, M. Jimbo and T. Kon, The GRACE system for the minimal supersymmetric standard model . . . 389 (1997) 295

Tauscher, L., S. Vlachos and M. Wadhwa, A charged particle trigger based on neural networks for the L3 experiment using the inner-TEC detector . . . 389 (1997) 138
Taylor, L., Interactive event displays for the LHC . . . 389 (1997) 99
Tecchiolli, G., see Lee, P. . . . 389 (1997) 134
Tecchiolli, G., see Dusini, S. . . . 389 (1997) 201
Teiger, J., see RD3 Collaboration . . . 389 (1997) 398
Tentyukov, M., see Avdeev, L.V. . . . 389 (1997) 343
Ter-Antonyan, S., see Chilingarian, A. . . . 389 (1997) 230
Terranova, F., see Bonesini, M. . . . 389 (1997) 148
Thion, J., see RD3 Collaboration . . . 389 (1997) 398
Thoms, M., The dynamic range of X-ray imaging with image plates . . . 389 (1997) 437
Tisserand, V., see RD3 Collaboration . . . 389 (1997) 398
Tisserant, S., see RD3 Collaboration . . . 389 (1997) 398
Tkachov, F.V., Algebraic algorithms for multiloop calculations: The first 15 years. What's next? . . . 389 (1997) 309
Tomassini, M., see Sipper, M. . . . 389 (1997) 278
Tonetto, F., see Gramegna, F. . . . 389 (1997) 474
Topchy, A.P. and O.A. Lebedko, Neural network training by means of cooperative evolutionary search . . . 389 (1997) 240
Torelli, M., see Aglietti, F. . . . 389 (1997) 56
Tran, T.M., see Appert, K. . . . 389 (1997) 51
Tretyakov, A.D., see Grigoriev, S.V. . . . 389 (1997) 441
Tripiccione, R., see Aglietti, F. . . . 389 (1997) 56
Tsyganov, E.N., see Antich, P.P. . . . 389 (1997) 491
Turzo, I., see Morháč, M. . . . 389 (1997) 89

UA4/2 Collaboration, C. Augier, D. Bernard, J. Bourotte, M. Bozzo, A. Bueno, R. Cases, F. Djama, P. Faugeras, A. Faugier, F. González, M. Haguenauer, W. Herr, J.B. Jeanneret, L. Kalt, V. Kundrát, T. Linnecar, M. Lokajiček, R. Maleyran, P. Manigot, G. Matthiae, A. Morelli, F. Natali, S. Němeček, M. Novák, J. Sánchez, E. Sanchis, G. Sette, M. Smižanská and J. Velasco, The UA4/2 experiment at the CERN S$\bar{p}$pS Collider . . . 389 (1997) 409
Uno, Y., see Uwamino, Y. . . . 389 (1997) 463
Uwamino, Y., T.S. Soewarsono, H. Sugita, Y. Uno, T. Nakamura, T. Shibata, M. Imamura and S.-i. Shibata, High-energy p-Li neutron field for activation experiment . . . 389 (1997) 463

Van Den Plas, D., see RD3 Collaboration . . . 389 (1997) 398
van der Stok, P.D.V., see Argante, E. . . . 389 (1997) 72
Vannini, G., see Gramegna, F. . . . 389 (1997) 474
Vannucci, L., see Gramegna, F. . . . 389 (1997) 474
Van Scyoc, J.M., see Schieber, M. . . . 389 (1997) 523
Vardanyan, A., see Chilingarian, A. . . . 389 (1997) 230
Velasco, J., see UA4/2 Collaboration . . . 389 (1997) 409
Vermaseren, J., Automatization of the computation of structure function moments at the 3-loop level . . . 389 (1997) 350
Vichou, I., see RD3 Collaboration . . . 389 (1997) 398
Vicini, P., see Aglietti, F. . . . 389 (1997) 56
Vlachos, S., see Tauscher, L. . . . 389 (1997) 138
Voss, T., see Sinkus, R. . . . 389 (1997) 160
Vuillemin, V., see RD3 Collaboration . . . 389 (1997) 398

Wadhwa, M., see Tauscher, L. . . . 389 (1997) 138
Wadsworth, B., see Lin, W.T. . . . 389 (1997) 415
Wallinga, H., see Rédei, L. . . . 389 (1997) 233
Wegener, D., see Höppner, M. . . . 389 (1997) 154
Wegner, A., see Köhne, J.H. . . . 389 (1997) 128
Wegner, P., see Legrand, I.C. . . . 389 (1997) 106
Weiglein, G., see Bauberger S. . . . 389 (1997) 318
Westerhoff, S., see Ommer, S. . . . 389 (1997) 204
White, J., see RD3 Collaboration . . . 389 (1997) 398
Willers, I., see Baker, N. . . . 389 (1997) 22
Willers, I., see Argante, E. . . . 389 (1997) 72
Wingerter-Seez, I., see RD3 Collaboration . . . 389 (1997) 398
Wüthrich, S., see Appert, K. . . . 389 (1997) 51
Wyslouch, B., see Lin, W.T. . . . 389 (1997) 415

Yamagishi, H., see Yamanaka, N. 389 (1997) 513
Yamanaka, N., M. Nakazawa, K. Sakasai, T. Kakuta, H. Yamagishi and M. Katagiri, Analysis of a nuclear pumped lasing mechanism for application to nuclear radiation measurements 389 (1997) 513
Yamanaka, J., see Ikeda, H. 389 (1997) 454
Yuasa, F., D. Perret-Gallix, S. Kawabata and T. Ishikawa, PVM–GRACE 389 (1997) 77

Zambernardi, C., see Brusasco, C. 389 (1997) 499
Zhautykov, B.O., see RD3 Collaboration 389 (1997) 398
Zitoun, R., see RD3 Collaboration 389 (1997) 398
Zolnierowski, Y.P., see RD3 Collaboration 389 (1997) 398
Zorat, A., see Lee, P. 389 (1997) 134

ELSEVIER

Nuclear Instruments and Methods in Physics Research A 389 (1997) 537–541

NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH Section A

Subject index

Accelerators, Beam Handling and Targets

Temperature dependence of ^{3}He polarization in aluminum storage cells, W. Korsch, R.W. Carr, D. DeSchepper, A. Dvoredsky, L.H. Kramer, Y. Li, R.D. McKeown, R.G. Milner, S.F. Pate, M.L. Pitt and T. Shin 389 (1997) 389

High Energy Physics Detectors

Performance of an endcap prototype of the ATLAS accordion electromagnetic calorimeter, RD3 Collaboration 389 (1997) 398
The UA4/2 experiment at the CERN S$\bar{p}$pS Collider, UA4/2 Collaboration 389 (1997) 409
Development of a double metal, AC-coupled silicon pad detector, W.T. Lin, Y.-H. Chang, A.E. Chen, S.R. Hou, C.-H. Lin, P. Kulinich, J. Ryan, P. Steinberg, B. Wadsworth and B. Wys louch 389 (1997) 415

Nuclear Spectroscopy

Determination of low-energy proton polarization via the ^{6}Li($\vec{p}$, ^{3}He)^{4}He reaction, C.R. Brune, H.J. Karwowski and E.J. Ludwig 389 (1997) 421

Gamma, X-ray and Charged Particle Detectors

Temperature dependence of BaF_2 scintillation, V. Nanal, B.B. Back and D.J. Hofman 389 (1997) 430
The dynamic range of X-ray imaging with image plates, M. Thoms 389 (1997) 437

Neutron Physics

Spatial spin resonance of polarized neutrons in amplitude-modulated magnetic fields, S.V. Grigoriev, V.V. Runov, A.I. Okorokov, A.D. Tretyakov, O.A. Gubin, G.P. Kopitsa and M.K. Runova 389 (1997) 441
Position-sensitive neutron detection with ^{6}LiF layers on silicon semiconductors, J. Schelten, R. Reinartz, R. Engels, M. Balzhäuser, J. Lauter, W. Schäfer and K.D. Müller 389 (1997) 447

Electronics

Study of common-mode noise of the SMA ^{2}SH – 64 A preamplifer array, H. Ikeda, M. Ikeda, Y. Saitoh, J. Yamanaka, T. Kitta, S.-I. Miyahara and M. Kamiya 389 (1997) 454

Numerical and Data Analysis

Proceedings of the 5th International Workshop (AIHENP'96) on Software Engineering, Neural Nets, Genetic Algorithms, Expert Systems, Symbolic Algebra and Automatic Calculations in Physics Research
(UNIL-EPFL, Lausanne, Switzerland, September 2–6, 1996)

Section I. Introduction

Applying object-oriented software engineering at the BaBar Collaboration, B. Jacobsen 389 (1997) 1
A bat's ear view of neural nets in physics, B. Denby 389 (1997) 8
The neural network objects, M. Kunze and J. Steffens 389 (1997) 12
Bird's-eye view of Gröbner bases, A. Heck 389 (1997) 16

0168-9002/97/$17.00 Copyright © 1997 Elsevier Science B.V. All rights reserved

Section II. Software engineering

Panel session on component software, N. Baker, J.-M. LeGoff and I. Willers 389 (1997) 22

IIa. Object oriented programming

From SA/SD to OO methods or "The new design problem", M. Marino and V. Innocente 389 (1997) 26
Data analysis/visualisation for the object-oriented LHC era, Y. Adesanya 389 (1997) 32
Application of Smalltalk language for accelerator control, I. Mejuev, I. Abe and K. Nakahara 389 (1997) 38

IIb. Parallel computing

The integration of SIMD and MIMD: A new line of development for MPP systems, C.A. Marchi and F. Massaioli 389 (1997) 42
Parallelism at CERN: real-time and off-line applications in the GP-MIMD2 project, P. Calafiura 389 (1997) 47
Problem-solving environment for parallel computers, K. Appert, R. Gruber, S. Merazzi, T.M. Tran and S. Wüthrich 389 (1997) 51
An overview of the APEmille parallel computer, F. Aglietti, A. Bartoloni, C. Battista, S. Cabasino, N. Cabibbo, B. Caporali, E. Centurioni, M. Cosimi, W. Errico, F. Laico, G. Magazzú, F. Marzano, A. Michelotti, E. Panizzi, P.S. Paolucci, F. Rapuano, W. Rinaldi, D. Rossetti, M. Torelli, R. Tripiccione, and P. Vicini 389 (1997) 56
A massively parallel processor for level 2 muon triggers at D0, M.R. Fortner, T. Lagger and R. Markeloff . . 389 (1997) 59
Mixed language parallel programming using ALWAN, R. Frank 389 (1997) 63
Reconstruction of electron beam distribution in phase space by using parallel maximum entropy method, R. Hajima, T. Hirotsu and S. Kondo 389 (1997) 65
A toolkit for interactive molecular dynamics simulation and visualization, C. Stern, P. Stucki and E. Stoll . . 389 (1997) 69
High-energy physics software parallelization using database techniques, E. Argante, P.D.V. van der Stock and I. Willers 389 (1997) 72
Parallelization of analyses using self-organizing maps with PVM, J.S. Lange, P. Schönmeier and H. Freiesleben 389 (1997) 74
PVM–GRACE, F. Yuasa, D. Perret-Gallix, S. Kawabata and T. Ishikawa 389 (1997) 77

IIc. Interactive analysis

ROOT – An object oriented data analysis framework, R. Brun and F. Rademakers 389 (1997) 81
Physics analysis in the NA49 experiment using ROOT, G. Roland 389 (1997) 87
Integrated multiparameter nuclear data analysis package, M. Morháč, J. Kliman, V. Matoušek and I. Turzo . 389 (1997) 89
Interactive data analysis for neutron spectrometers data based on visual numerics' PV-WAVE software package, E.I. Litvinenko 389 (1997) 93
The L3 event visualisation tools, D. McNally 389 (1997) 95
Interactive event displays for the LHC, L. Taylor 389 (1997) 99
Computer graphics in high-energy physics event visualization, H. Stone 389 (1997) 101

IId. Graphic interfaces

Provision of an X-environment using the HEPiX-X11 scripts, R.W.L. Jones, L. Cons and A. Taddei 389 (1997) 103
A programming environment to control switching networks based on STC104 packet routing chip, I.C. Legrand, U. Schwendicke, H. Leich, M. Medinnis, A. Koehler, P. Wegner, K. Sulanke, R. Dippel and A. Gellrich . . 389 (1997) 106

IIe. Control and distributed systems

YASB: A development tool for intelligent multiplatform distributed control systems, F. Billè and R. Pugliese . 389 (1997) 110
Using WWW technology in a control system, F. Billè and R. Pugliese 389 (1997) 114

IIf. Application in automatic calculation

Numerical computation of molecular integrals via optmized (vectorized) FORTRAN code, T.C. Scott, M.B. Monagan, I.P. Grant and V.R. Saunders 389 (1997) 117
QCDF90: Lattice QCD with Fortran 90, I. Dasgupta, A.R. Levi, V. Lubicz and C. Rebbi 389 (1997) 121
Automatic generation of a MOS transistor simulation model with Maple V, W. Klein and Y.A. Papegay . . . 389 (1997) 125

Section III. Artificial intelligence

IIIa. Neural networks: on-line applicatins, triggers

Realization of a second level neural network trigger for the H1 experiment at HERA, J.H. Köhne, J. Fent, W. Fröchtenicht, F. Gaede, A. Gruber, W. Haberer, C. Kiesling, T. Kobler, J. Möck, A. Wegner, D. Goldner, T. Krämerkämper, M. Kolander and H. Kolanoski 389 (1997) 128
Advances in the design of the TOTEM neurochip, P. Lee, I. Lazzizzera, A. Zorat, A. Sartori and G. Tecchiolli 389 (1997) 134
A charged particle trigger based on neural networks for the L3 experiment using the inner-TEC detector, L. Tauscher, S. Vlachos and M. Wadhwa 389 (1997) 138
The neural-network-based second-level trigger developed for the Chooz experiment, A. Baldini, G. Bemporad, F. Cei, M. Grassi, D. Nicolò, R. Pazzi, G. Pieri, M. Apollonio, E. Caffau, P. Cristaudo and G. Giannini . . . 389 (1997) 141
Neural feature extraction for calorimeters based on optimum weighting procedures, J.M. Seixas, L.P. Calôba, R. Linhares and B. Kastrup 389 (1997) 146

IIIb. Neural networks: pattern recognition

Application of artificial neural nets to Shashlik calorimetry, M. Bonesini, S. Grumenyuk, M. Paganoni, L. Petrovykh and F. Terranova 389 (1997) 148
Applications of neural networks to shower analysis in a highly segmented LAr calorimeter, M. Höppner and D. Wegener 389 (1997) 154
Identification of muons in the H1 LAr-Calorimeter: Neural networks vs. fuzzy elements, G. Schmidt, B. Naroska, S. Schiek, D.L. Bui and R. Sell 389 (1997) 157
Particle identification with neural networks using a rotational invariant moment representation, R. Sinkus and T. Voss 389 (1997) 160

IIIc. Neural networks: tracking

Orientation selective neural network for cosmic muon identification, H. Abramowicz, D. Horn, U. Naftaly and C. Sahar-Pikielny 389 (1997) 163
Elastic neural net for track and vertex search, I. Kisel, E. Konotopskaya and V. Kovalenko 389 (1997) 167
Cellular automaton and elastic net for event reconstruction in the NEMO-2 experiment, V. Kovalenko and NEMO collaboration 389 (1997) 169
Elastic arms for track reconstruction with a scintillating fiber detector, F. Block, M.D.A. Machado and J.M. Seixas 389 (1997) 173
Vertex finding with deformable templates at LHC, N. Stepanov and A. Khanov 389 (1997) 177
Global optimization for track finding, M. Diehl, M. Jünger, R. Frühwirth and J. Scherzer 389 (1997) 180
A Combination of an elastic net and a Hopfield net to solve thesegment linking problem in the forward tracker of the H1 detector at HERA, D.L. Bui, T.J. Greenshaw and G. Schmidt 389 (1997) 184

IIId. Neural networks: data analysis

Use of neural networks in the analysis of $\tau \to K_s^0 \nu_\tau X$ inclusive decays at LEP, F. Grotti, F.R. Cavallo and F.L. Navarria 389 (1997) 187
Analysis of τ 1-prong exclusive branching ratios using neural networks, J.M. López, F. Matorras and A. Ruiz 389 (1997) 194
Use of neural network to search for rare B decays in ALEPH at LEP, Ph. Rosnet and P. Henrard 389 (1997) 197
Separation of gluon jets and b-jets with a low p_T muon using ATLAS Tile Calorimeter simulation data and artificial neural networks technique, A. Astvatsaturov, J. Budagov, V. Shigaev, M. Bosman, M. Nessi and D. Pantea 389 (1997) 199
Performance of the TOTEM neurochip in Higgs search, S. Dusini, F. Ferrari, I. Lazzizzera, G. Nardulli, A. Sartori and G. Tecchiolli 389 (1997) 201
Search and HEGRA collaboration for TeV γ-rays from extragalactic point sources with neural network γ/hadron separation, S. Ommer, S. Westerhoff and H. Meyer 389 (1997) 204
Application of CA and NN for event recognition in experiments DISTO and STREAMER, M.P. Bussa, V.V. Ivanov, I.V. Kisel and G.B. Pontecorvo 389 (1997) 208
Offine analysis of HEP events by "dynamic perceptron" neural network, A.L. Perrone, G. Basti, R. Messi, E. Pasqualucci and L. Paoluzi 389 (1997) 210
A parameter-free self-organizing map for the analysis of pp-reactions at COSY, J.S. Lange, P. Hermanowski and H. Freiesleben 389 (1997) 214

On error optimization for event selection with neural networks, R. Rylko 389 (1997) 219
Application of chaos theory to lossy image compression, A.L. Perrone 389 (1997) 221
Multilayer perceptron with local constraints as an emerging method in spatial data analysis, M. de Bollivier, G. Dubois, M. Maignan and M. Kanevski 389 (1997) 226
The comparison of Bayesian and neural techniques in problems of classification to multiple categories, A. Chilingarian, S. Ter-Antonyan and A. Vardanyan 389 (1997) 230

IIIe. Neural networks: learning algorithms

A novel modification to backpropagation sample selection strategy, L. Rédei and H. Wallinga 389 (1997) 233
Unsupervised Learning with ART on the CNAPS, C.S. Lindsey and Th. Lindblad 389 (1997) 237
Neural network training by means of cooperative evolutionary search, A.P. Topchy and O.A. Lebedko 389 (1997) 240
The non-linear signal domain selection using a new quality function in neural net training, A. Chilingarian, E. Sevinian and S. Chilingarian 389 (1997) 242

IIIf. Neural networks: advanced techniques

Intelligent pdetectors modelled frm the cat's eye, Th. Lindblad, V. Becanovic, C.S. Lindsey and G. Szekely . . 389 (1997) 245
Data mining and neural networks for knowledge discovery, Å. Eide, R. Johansson, Th. Lindblad and C.S. Lindsey 389 (1997) 251
An application of neural networks to fractal function interpolation, V.M. Severyanov 389 (1997) 255
Retinal neurocomputing principles for real time track identification, G.G. Athanasiu 389 (1997) 258
Building a neuro-fuzzy system to efficiently forecast chaotic time series, L. Studer and F. Masulli 389 (1997) 264
Incremental neural networks for function approximation, R. Chentouf, C. Jutten, M. Maignan and M. Kanevsky 389 (1997) 268
The statistical basis of neural network algorithms: Theory and applications, J. Swain 389 (1997) 271
A comparison between the performance of feed forward neural networks and the supervised growing neural gas algorithm, R. Berlich and M. Kunze 389 (1997) 274

IIIg. Evolution and genetic algorithms

Designing cellular automata using a parallel evolutionary algorithm, M. Sipper, M. Tomassini, M.S. Capcarrere. 389 (1997) 278
Applying unconventional methods to tune high energy physics models to data, C. Busch and K.H. Becks . . . 389 (1997) 284
A Genetic Algorithm for a fitting problem, A. Agapie, F. Fagarasan and B. Stanciulescu 389 (1997) 288

Section IV. Symbolic manipulation

IVa. Automation of Feynman diagrams computation

Automatic generation of Feynman rules from the Lagrangian by means of LanHEP package, A.V. Semenov 389 (1997) 293
The GRACE system for the minimal supersymmetric standard model, H. Tanaka, M. Kuroda, T. Kaneko, M. Jimbo and T. Kon 389 (1997) 295
Multi-particle phase space integration with arbitrary set of singularities in CompHEP, D.N. Kovalenko and A.E. Pukhov 389 (1997) 299
Automation of loop amplitudes in numerical approach, J. Fujimoto, T. Ishikawa, Y. Shimizu, K. Kato, N. Nakazawa and T. Kaneko 389 (1997) 301
Feynman diagram drawing made easy, M. Baillargeon and P. Nogueira 389 (1997) 305

IVb. Advanced Feynman diagrams computation

Algebraic algorithms for multiloop calculations: The first 15 years. What's next?, F.V. Tkachov 389 (1997) 309
Computing techniques for two-loop corrections to anomalous magnetic moments of leptons, A. Czarnecki and B. Krause 389 (1997) 314
Calculation of two-loop top-quark and Higgs-boson corrections in the electroweak Standard Model, S. Bauberger and G. Weiglein 389 (1997) 318
The methods of XLOOPS: An introduction to parallel space techniques, D. Kreimer 389 (1997) 323
XLOOPS – a package calculating one- and two-loop diagrams, L. Brücher 389 (1997) 327
Automatic calculation of massive two-loop self-energies with XLOOPs, J. Franzkowski 389 (1997) 333
Massive two-loop vertex functions, A. Frink 389 (1997) 339

Towards automatic analytic evaluation of massive Feynman diagrams, L.V. Avdeev, J. Fleischer, M.Yu. Kalmykov and M. Tentyukov 389 (1997) 343
Explicit solutions of the multi-loop integral recurrence relations and its application, P.A. Baikov 389 (1997) 347
Automatization of the computation of structure function moments at the 3-loop level, J. Vermaseren 389 (1997) 350
Automatic computation of three-loop two-point functions in large momentum expansion, K.G. Chetyrkin, R. Harlander, J.H. Kühn and M. Steinhauser 389 (1997) 354
HIGLU and HDECAY: Programs for Higgs boson production at the LHC and Higgs boson decay widths, M. Spira 389 (1997) 357
Progress with large N_f β-functions, J.A. Gracey 389 (1997) 361

IVc. Quantum field theory, super algebra and other fields

Computation of the DeWitt–Seeley–Gilkey coefficient E_4 nonminimal operator in curved space, V.P. Gusynin and V.V. Kornyak 389 (1997) 365
A program for constructing finitely presented Lie algebras and superalgebras, V.P. Gerdt and V.V. Kornyak 389 (1997) 370
Application of the worldline path integral method to the calculation of inverse mass expansions, D. Fliegner, P. Haberl, M.G. Schmidt and C. Schubert 389 (1997) 374

Section V. Summary talks

Summary talk on Software Engineering, S. Jarp 389 (1997) 378
Neural computation methods and applications: Summary talk of the AI session, D. Horn. 389 (1997) 381

High-energy p-Li neutron field for activation experiment, Y. Uwamino, T.S. Soewarsono, H. Sugita, Y. Uno, T. Nakamura, T. Shibata, M. Imamura and Sei-ichi Shibata 389 (1997) 463

Fission, Fusion, Spallation and Heavy Ions

A telescope with microstrip gas chambers for the detection of charged products in heavy-ion reactions, F. Gramegna, U. Abbondanno, A. Andreano, R. Bassini, F. Bonutti, M. Bruno, G. Casini, M. D'Agostino, G. Manzin, G.V. Margagliotti, P.F. Mastinu, P.M. Milazzo, A. Moroni, M. Squarcini, F. Tonetto, G. Vannini and L. Vannucci 389 (1997) 474

Medical Applications and Dosimetry

Demonstration of a time-integrating microdosimeter, M.A. Famiano and D.M. Hamby 389 (1997) 479
Avalanche photo diode with local negative feedback sensitive to UV, blue and green light, P.P. Antich, E.N. Tsyganov, N.A. Malakhov and Z.Y. Sadygov 389 (1997) 491
Strip ionization chambers as 3-D detector for hadron therapy, C. Brusasco, A. Cattai, R. Cirio, G. Dellacasa, M. Donetti, P. Isoardi, F. Marchetto, C. Peroni, V. Rolando, M. Ruspa, A. Solano and C. Zambernardi . . . 389 (1997) 499

Special Applications

Analysis of a nuclear pumped lasing mechanism for application to nuclear radiation measurements, N. Yamanaka, M. Nakazawa, K. Sakasai, T. Kakuta, H. Yamagishi and M. Katagiri 389 (1997) 513

Errata

Erratum to "Material properties and room temperature nuclear detector response of wide band gap semiconductors" [Nucl. Instr. and Meth. A 377 (1996) 492–495], M. Schieber, J.C. Lund, R.W. Olsen, D.S. McGregor, J.M. Van Scyoc, R.B. James and E. Soria 389 (1997) 523
Erratum to "Underground cosmic-ray measurement for morphological reconstruction of the "Grotta Gigante" natural cave" [Nucl. Instr. and Meth. A 385 (1997) 480–488], E. Caffau, F. Coren and G. Giannini 389 (1997) 524